

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2022

Version number 1.20 (replaces version 1.19)

Revision: 17.02.2022

1.1 Product ide	ntifier
· Trade no	me: <u>Irsa Ölharzimprägnierung</u>
A 1.2 Relevant id Life cycl PW Wid C Cons Sector o SU21 C SU22 F SU3 In Product Process Environ ERC10a ERC11a Article c Technic Wood tra Wood tra Surface	rticle number: N0320075 rntified uses of the substance or mixture and uses advised against e stages lespread use by professional workers umer use f Use consumer uses: Private households / general public / consumers rofessional uses: Public domain (administration, education, entertainment, services, craftsmen) lustrial uses: Uses of substances as such or in preparations at industrial sites category PC9a Coatings and paints, thinners, paint removers category PROC10 Roller application or brushing nental release category Widespread use of articles with low release (outdoor) Widespread use of articles with low release (indoor) ategory AC11 Wood articles at function Plating agent fon of the substance / the mixture atment ating protection
1.3 Details of th Manufa IRSA La An der O 86489 D German phone: - Fax: +4	eisenhausen , 49 8282 89440 9 8282 894444 info@irsa.de
Labor pl E-Mail (

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 Void • Hazard pictograms Void

(Contd. on page 2)



Page 2/8

Printing date 17.02.2022

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.20 (replaces version 1.19)

Revision: 17.02.2022

(Contd. of page 1)

Trade name: Irsa Ölharzimprägnierung

Signal word Void
 Hazard statements Void
 Precautionary statements
 P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read carefully and follow all instructions.
 Additional information:
 EUH210 Safety data sheet available on request.
 2.3 Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Solvent-borne paints

· Dangerous components:		
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	<i>Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%</i> <i>aromatic compounds</i>	> 25 - ≤ 50%
Reg.m.: 01-2117457275-57	Asp. Tox. 1, H304, EUH066	
CAS: 64742-48-9 EINECS: 265-150-3 Reg.nr.: 01-2119457273-39-xxxx	Naphtha (petroleum), hydrotreated heavy	> 10 - ≤ 25%
CAS: 2457-02-5 EINECS: 219-536-3	Strontium bis (2-ethylhexanoate) Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	> 0.1 - < 1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

In case of symptoms or in case of doubt seek medical advice.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

· After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

+4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2022

Version number 1.20 (replaces version 1.19)

Revision: 17.02.2022

Trade name: Irsa Ölharzimprägnierung

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
 - Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Keep away from heat and direct sunlight.
Use only in well ventilated areas.

Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect from heat.
Fumes can combine with air to form an explosive mixture.

7.2 Conditions for safe storage, including any incompatibilities

Storage:
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Do not store together with oxidising and acidic materials.
Further information about storage conditions:
Protect from frost.
Store in cool, dry conditions in well sealed receptacles.

• Storage class: 10

• 7.3 Specific end use(s) Observe the technical data sheet

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2022

Version number 1.20 (replaces version 1.19)

Revision: 17.02.2022

Trade name: Irsa Ölharzimprägnierung

(Contd. of page 3)

• 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
• Additional information: The lists valid during the making were used as basis.

• 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.
• Individual protection measures, such as personal protective equipment
• General protective and hygienic measures:

Wash hands before breaks and at the end of work.
Do not eat, drink, smoke or sniff while working.
• Respiratory protection: Not necessary if room is well-ventilated.
• Hand protection

Nitrile rubber

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

SECTION 8: Exposure controls/personal protection

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · For the permanent contact gloves made of the following materials are suitable:
- Nitrile rubber, NBR

SECTION 9: Physical and chemical properties

- Eye/face protection Safety glasses
- · Body protection: Protective work clothing

• General Information	
· Physical state	Fluid
· Colour:	According to product specification
· Odour:	Weak, characteristic
• Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	160 °C (Hydrocarbons, C10-C13, n-alkanes
	isoalkanes, cyclics, <2% aromatic compounds)
· Flammability	Not applicable.



Page 5/8

Printing date 17.02.2022

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.20 (replaces version 1.19)

Revision: 17.02.2022

Trade name: Irsa Ölharzimprägnierung

· Lower and upper explosion limit	
· Lower:	0.6 Vol % (Hydrocarbons, C10-C13,
	alkanes, isoalkanes, cyclics, <2
	aromatic compounds)
· Upper:	7 Vol % (Hydrocarbons, C10-C13,
	alkanes, isoalkanes, cyclics, <2
	aromatic compounds)
· Flash point:	$> 61 \ ^{\circ}C$ (Hydrocarbons, C10-C13, n-alkane
F	isoalkanes, cyclics, <2% aromatic compounds)
· Ignition temperature:	240 °C
Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity at 20 °C	18 s (DIN 53211/4)
Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	1 hPa (64742-48-9 Naphtha (petroleum
vupour pressure ui 20°C.	hydrotreated heavy)
Density and/or relative density	nyarotreatea neavy)
• Density at 20 °C:	0.86 g/cm^3
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Fluid
Inportant information on protection of health and	1 11111
environment, and on safety.	
• Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	1 roudei does noi present un explosion nazura.
· Organic solvents:	63.5 %
· VOC (EC)	546.0 g/l
· VOC (LC) · VOCV (CH)	63.45 %
· Solids content:	36.4 %
Change in condition	50.4 /0
· Evaporation rate	Not determined.
•	
Information with regard to physical hazard classes	T 1
Explosives	Void
· Flammable gases	Void
· Aerosols	Void
Oxidising gases	Void
• Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
• Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void



Page 6/8

Printing date 17.02.2022

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.20 (replaces version 1.19)

Revision: 17.02.2022

Trade name: Irsa Ölharzimprägnierung

		(Contd. of page 5)
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamn	ıable	
gases in contact with water	Void	
Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability Stable when using the recommended regulations for storage and handling.

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications. • 10.3 Possibility of hazardous reactions

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

• 10.4 Conditions to avoid Do not heat up in an uncontrolled manner.

 \cdot 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

· LD/LC50 values relevant for classification:

64742-48-9 Naphtha (petroleum), hydrotreated heavy Oral |LD50| > 5,000 mg/kg (rat)

 $D_{\text{current}} = 1$ LD50 > 3,000 mg/kg (rut)

Dermal | LD50 | > 3,000 mg/kg (rab)

• **Respiratory or skin sensitisation** May cause sensitization on skin contact.

• 11.2 Information on other hazards

• Endocrine disrupting properties

540-97-6 Dodecamethylcylohexasiloxane

541-02-6 Decamethylcyclopentasiloxane

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 7)

List II

List II



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2022

Version number 1.20 (replaces version 1.19)

Revision: 17.02.2022

Trade name: Irsa Ölharzimprägnierung

(Contd. of page 6)

• vPvB: Not applicable. • 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods • Recommendation Must not be disposed together with household gari

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Regulation (EU) No 528/2012 on biocides

None of the ingredients is listed.

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2022

Version number 1.20 (replaces version 1.19)

Revision: 17.02.2022

Trade name: Irsa Ölharzimprägnierung

 • Directive 2004/42 / EC on emission limitation of VOCs from paints and varnishes VOC product category: (Kat. A/f); VOC limit: 700 g / l Maximum VOC content of ready to use product (g / l): 600 • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 	e 7)
SECTION 16: Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee for any spece product features and shall not establish a legally valid contractual relationship.	ific
 Relevant phrases H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage. H361d Suspected of damaging the unborn child. EUH066 Repeated exposure may cause skin dryness or cracking. Abbreviations and accompuse: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Comgerous Goods IATA: International Maritime Code for Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Compounds (USA, EU) VOC: Volatile Organic Compounds (USA, EU) LCS0: Lethal concentration, 50 percent LDS1: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Toxic A: Acute toxicity - Category 4 Skin Irrit, 2: Skin corrosion/irritation - Category 1 Repr. 2: Reproductive toxicity - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 	the — GB —