IRSA Wood Oil

Easy and quick to use

- water resistant surface is obtained
- sinks into the wood, no flaking
- protects against bleaching/fading
- protects against weathering
- susceptibility to getting green coating is reduced
- humidity regulating effect
- the wood is protected from drying out
- and crack formation is reduced
- after treatment with the Wood Oil the wooden surface not only looks decorative, but is easy to maintain, protected against the effects of dirt and can withstand the weather
- easy cleaning and after treatment

IRSA Exotic Wood Oil

- Properties as IRSA Wood Oil, see above


Only available in light brown. A more intensive colour tone can be achieved by applying several coats:





IRSA Lackfabrik Irmgard Sallinger GmbH An der Günz 15 D-86489 Deisenhausen Phone +49 8282 8944-0 info@irsa.de - www.irsa.de





CARE TIPS for: Outdoor-Furniture, Wooden Houses, Yacht-decks, Carports, Wooden terraces etc.





Why does wood need special care and a surface protection when it is outdoors?

- Due to wind and weather unprotected wood surfaces become rough, cracked and grey, subject to the type of wood and the surface protection available, the wood swells through the effect of excessive water and the surface washes out
- Bright sunshine and heat lead to cracks, splits and to a slow erosion of the wood
- Areas subjected to a lot of shade tend to moss and algae growth, or because of standing water (in profiling or screw holes) rot sets in
- Scratching insects (e.g. wasps) destroy the substance of the wood



Our 4 OUTDOOR – PRODUCTS offer:

removal of the wood greying UV-Protection by the micro fine pigments no resin layer build up on the surface! longevity and conservation of value -

- multifunctional application, from terraces to yachts -



For thorough cleaning: Using IRSA Aqua Cleaner 5000 Outdoor for manual cleaning (e.g. with a scrubbing brush) will not remove the natural greying, but the wooden surface will be professionally cleaned. A further treatment with oil is recommended, even if you want to keep the greying colour tone. In this case choose a grey tone.

For interim cleaning: IRSA Aqua Cleaner 5000 Outdoor is particularly suited to the removal of normal dirt. Moss, algae and insect infestation can be prevented this way.

Preparation: For the application of **IRSA Wood Refresher** and/or for the final conditioning oil treatment, clean the area first with IRSA Aqua Cleaner 5000 Outdoor.

Consumption: IRSA Aqua Cleaner 5000 Outdoor should be used either pure, depending on the degree of dirt, or diluted with water (1:5) and applied to the surface. The loosened dirt should then be continually removed from the surface until the surface is completely clean. **IRSA Wood-Refresher** is a liquid special cleaning agent / anti-grey (undiluted or up to 1:5 diluted) to freshen up and clean greying wood in out-door area. The highly effective anti-grey is all purpose – whether on greved Kekatong-. Bangki-

rai-terraces or to lighten greying coniferous wood. The surface is treated with IRSA Wood Refresher (where necessary with a scrubbing brush), until an evenly coloured surface is obtained.

Consumption: Depending on the degree of dirt use 1 litre for approx. 10-50 m² (for 1 m² between 20-100 ml)

The natural colour tone of the greyed outside wood is re-established, the fresh, warm colour tone is renewed and also has a visibly lasting effect after treatment with the coloured IRSA oils suitable for outside areas. **IRSA Exotic Wood Oil** and/or **IRSA Wood Oil** protect long-term and the original colour tone of the wood becomes visible again and is preserved.

Oil Treatment:

With our **IRSA Exotic Wood Oil** und **IRSA Wood Oil** (contains refined natural oils such as sun flower oil, soya oil, swiss-stone pine oil, safflower oil, rape oil, tree gum, cobalt and calcium soap, de-aromatised hydrocarbons, relevant pigments) we offer a prestigious choice of colour.

IRSA Exotic Wood Oil is slightly dark brown in tone, hence it is primarily applied to Thermo wood and exotic wood types. However, it can also be used on darker types of native wood.

IRSA Wood Oil is applied in particular to native wood and is available in the following colours: blue-grey, white, light grey, warm grey, dark grey, tobacco brown, rust red, dark green, larch, colourless (Please note: colourless should only be applied to lighten any of the afore-mentioned colours, never to be applied pure). The colours can be mixed with each other. To protect against blueness, mould and rotting of native wood we recommend a pre-treatment with a suitable, commercially available impregnating base coat.





IRSA Wood Oil

Brown coloured, protects exotic woods (e.g. Bangkirai, Teak, Ipe, Iroko, Kekatong, Mahogany, Meranti, Nyatoh, Jarrah, Belinga) but is also suitable for native woods e.g. Douglas fir, Larch, and Cedar.

IRSA Exotic Wood Oil contains resistant, weatherproof oils and micro fine pigments. UV rays are effectively blocked and the wood is protected from corrosion etc.

IRSA Exotic Wood Oil is free from toxic substances and odourless after drying. It emphasises the colour of the wood but does not cause any major colour change in the colour tone of exotic woods. The product hardly causes any build-up of surface film and for this reason terrace flooring in particular gains an excellent durability (hardly any layer build-up means hardly any abrasion). The surface remains open pored, can actively breathe and can be re-coated entirely or also even partially, and without any interim sanding.

Consumption: 1 litre is sufficient for approx. $20m^2$ per coat = 50 ml/m^2 per coat.

Areas of use: for exotic woods in outside areas such as terrace flooring, wooden decking, carports, garden furniture, wooden facades, yachts etc. Blue-grey, white, light grey, warm grey, dark grey, tobacco brown, rust red, dark green, larch. Other colours available on request. Protects native hard and soft woods e.g. Douglas fir, Robinia, Larch, Pine, Spruce and Cedar

IRSA Wood Oil contains resistant, weather-proof oils and micro fine pigments.

UV rays are effectively blocked and the wood is protected from corrosion etc.

IRSA Wood Oil is free from toxic substances and odourless after drying. If necessary use a commercially available impregnating base as a first coat to protect against mould, blueness etc.

The product hardly causes any build-up of surface film and for this reason terrace flooring in particular gains an excellent durability (hardly any layer build-up means hardly any abrasion). The surface remains open pored, can actively breathe and can be re-coated entirely or also even partially and without any interim sanding.

Consumption: 1 litre is sufficient for approx. $20m^2 \text{ per coat} = 50 \text{ ml/m}^2 \text{ per coat}.$

Areas of use: for exotic woods in outside areas such as terrace flooring, wooden decking, carports, garden furniture, wooden facades, yachts etc.

General Instructions: A test coat should normally be carried out. For further instructions please turn to our Technical Data Sheets, the Safety Data Sheets, the texts on the product labelling and the complete product declarations. More information can also be obtained at www.irsa.de/download.